Printed

29.09.2003

Revision

29.09,2003 (GB) Version 1.1

Polishing Pitch

11. Identification of the substance/preparation

Name of product

Polishing Pitch

Manufacturer/

WINOIL AG

Unterdorfstrasse 37, CH-4658 Däniken Phone 062 288 11 11, Fax 062 288 11 88

Advice

Labor

Phone 062 288 1133

Emergency advice

Toxikologisches Informationszentrum Zürich

Phone 01-2515151

2. Composition/information on ingredients

232-475-7

Chemical characterization

Meltible Resin

Hazardous ingredients

CAS-No. EC-No.

Name

Kolophonium

[% weight]

Classification

008050-09-7

.....

50 - 90

R43

3. Special hazards information for man and environment

R-phrases

43

May cause sensitisation by skin contact.

4. First aid measures

In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Do not induce vomitting.

Call for a doctor immediately.

5. Fire-fighting measures

Suitable extinguishing material

Foam

Dry powder

Carbon dioxide

Water spray jet

Special exposure hazards arising from the substance, combustible products or resulting gases Fire gas of organic material has to be classed invariably as respiratory poison.

Special protective equipment for firefighters

Use breathing apparatus with independent air supply.

Additional information

Cool endangerey containers with water spray jet.

Printed Revision 29.09.2003 .

29.09.2003 (GB) Version 1.1

Polishing Pitch

6. Accidental release measures

Personal precautions

Use personal protective clothing.

High risk of slipping due to leakage/spillage of product.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

After taking up the material dispose according to regulation.

Take up mechanically.

7. Handling and storage

Advice on safe handling

Take measures against electrostatically charging.

No special measures necessary if used correctly.

Advice on protection against fire and explosion

The product is combustible.

Requirements for storage rooms and vessels

Keep in closed original container.

Advice on storage compatibility

Do not store together with food.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Store only at temperature of 30°C maximum (=86°F).

Do not keep at temperatures below -5°C.

8. Exposure controls / personal protection

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.

Hand protection

Protective gloves

Eye protection

tightly fitting goggles

Skin protection

protective overalls, antistatic

General protective measures

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.

Wash skin thoroughly and immediately after handling the product.

9. Physical and chemical properties

Form

solidified melt

Colour

black

Odour

almost odourless

Printed

29.09.2003 .

Revision

29.09.2003 (GB) Version 1.1

Polishing Pitch

-	Value	Temperature	at	Method	Remark
pH value in delivery state	not applicable				
softening point	63 - 93 °C			DINASO 4625	
Flash point	> 200 °C			DIN 53213	
Combustion temperature	> 350 °C			DIN 51794	
Density	1,04 - 1,08 g/ cm3	20 °C		DIN 53217	

10. Stability and reactivity

Additional information

No instruction necessary.

11. Toxicological information

Additional information

The product has not been tested. The information is derived from the properties of the individual components.

12. Ecological information

General regulation

Do not discharge product unmonitored into the environment.

13. Disposal considerations

Recommendations for the product

Incinerate in suitable incineration plant, but care for official regulations.

Recommendations for packaging

Totally emptied packaging may be treated as household waste.

14. Transport information

Land and inland navigation transport (ADR/RID/GGVS/GGVE/ADNR)

No hazardous material as defined by the prescriptions.

15. Regulatory information

Remarks for classification

The product is classified and labelled in accordance with EC directives/the relevant national laws.

Classification

Χi Irritant

Printed Revision 29.09.2003

29.09.2003 (GB) Version 1.1

Polishing Pitch

R-phrases

43

May cause sensitisation by skin contact.

S-phrases

37

Wear suitable gloves.

Hazardous ingredients for labeling

Kolophonium

National regulations

Water hazard class

3

self-classification

Schweiz/Suisse

Other regulations, restrictions and prohibition regulations

CH-Poisson class: - BAG T 40 455

16. Other information

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the poperties of the product.

The working conditions at users are beyond our knowledge and control. The user is responsible to observe and fulfil all rules of legislation at his area and country.

Sources of key data used

EU classification. Safety data sheets of raw materials.

Wording of the R-phrases specified in chapter 2 (not the classification of the formulation!)

R 43 May cause sensitisation by skin contact.